


REMARKS

The "Office Action Summary" page indicates an objection to the drawings submitted on 18 August 2003 but no detail could be found to indicate the reason for objection. Clarification is requested.

The title and Abstract have been amended as suggested by the examiner. Claims 5, 15, and 20 have been amended to overcome the Examiner's objections. Claims 3, 25, and 27 have been amended to overcome the Examiner's 112 rejections.

Claims 25 and 27 have been indicated allowable if amended to clarify the angular limitations as it relates to the device. Claim 1 has been canceled and Claim 25 has been amended to be the new main claim and to overcome the Examiner's concerns. Claims 2-5, 8-13, 15, 17-20, 22, and 23 have been amended to depend from claim 25. Since all of the claim are now allowable, the Examiner is respectfully requested to withdraw the outstanding rejection and to pass the subject application to Allowance.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'A. Kluegel', written over a horizontal line.

Attorney for Applicant(s)
Registration No. 25,518

Arthur E. Kluegel/dlm
Rochester, NY 14650
Telephone: 585-477-2625
Facsimile: 585-477-1148

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.